Building product declaration 2015

according to BPD associations' standardised format eBVD2015

2021-10-08 12:22:28

ECT350A (7130-7131), ReForm Radiant ECT350A (7132), ReForm Heritage (7133)

1. BASIC DATA

Document data

ld:	Version:
C-38454218-37	6
Created:	Last saved:
2021-10-08 12:19:25	2021-10-08 12:22:27
Changes relates to:	
New product names added	

ege Tuft 950 ECT350A contains Reform Memory ECT350A (0767), ReForm Legend ECT350A (0777), ReForm A New Wave ECT350A (0872), ReForm Transition ECT350A (0864), ReForm Construction ECT350A (7130-7131), ReForm Radiant ECT350A (7132), ReForm Heritage (7133)

Article name:

ege Tuft 950 ECT350A contains Reform Memory ECT350A (0767), ReForm Legend ECT350A (0777), ReForm A New Wave ECT350A (0872), ReForm Transition ECT350A (0864), ReForm Construction ECT350A (7130-7131), ReForm Radiant ECT350A (7132), ReForm Heritage (7133)

Article No/ID concept

Product group system

BK04

Article identity: VAT-ID
38454218-0767, 38454218-0777, 38454218-0864, 38454218-0872, 38454218-7130-7131, 38454218-7132, 38454218-7133

Product group/Product group classification

BSAB96	М
Article description:	
Tufted carpet tile with felt backing	
Declarations of performance:	Declaration of performance number:
Yes	5B-PA-ECT350
Other information:	

03106

Product group id

Ege Carpets a/s

Company name:	Organisation number:
Ege Carpets a/s	CVR38454218
Address:	Contact person:

Industrivej Nord 25	Brian Meldgaard
E-mail:	Telephone:
bmn@ege.dk	+4597117484
VAT number:	Website:
38454218	www.ege.dk
GLN:	DUNS:
Environmental certification s BREEAM BREEAM-	
References	
Reference	
GLP0009	
Annexes	
Annex	
https://www.egecarpets.com/carpet-tiles/carpe	tiles
EMAS, DS/OHSAS 18001, DS49001.	
Policies and guidelines	
The company has a code of conduct/potenthe requirements This is third-party audited	cy/guidelines for dealing with social responsibility in the supplier chain, including produces for ensuri
	u affiliated to or management system you have implemented
✓ UN guiding principles for companies an	
ILO's eight core conventions	
✓ OECD Guidelines for Multinational Ente	prises
✓ UN Global Compact	
✓ ISO 26000	
ISO 26000 Other policy guidelines	
✓ ISO 26000	
ISO 26000 Other policy guidelines	
Other policy guidelines Dansk Mode og Tekstils Code of Conduct Management system	e social responsibility, what out of the following is included in the work?

\checkmark	Risk analysis
\checkmark	Action plan
\checkmark	Monitoring
Custo	inability reporting avidalings

Sustainability reporting guidelines:

G4

3. DECLARATION OF CONTENTS

Chemical content

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article" Is there a safety data sheet for the article? Is there classification of the article? Not applicable Not applicable For complex products, the concentration of included substances has Enter which version of the candidate list has been used (Year, month, day) been calculated at: whole construction product The article is covered by the RoHS Directive: Enter the weight of the article: 3.05 kg/m2 Enter how large a proportion of the material content has been declared [%]: 99,9 If the article contains nanomaterials deliberately added to obtain a particular function, enter these here: Enter the proportion of volatile organic substances [g/litre], applies only Is the article registered in Basta? to sealants, paints, varnishes and adhesives: Yes

Article and/or sub-components

Phase	Delivery		
Component	Anitistatic agent	Weight% of product	<0.1
Comment			
Component	Backing	Weight% of product	

Comment

Other information:

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Filler	Aluminium hydroxid	16 <x<20< td=""><td>21645-51-2</td><td></td><td></td></x<20<>	21645-51-2		
Filler	Dolomit	16 <x<20< td=""><td>16389-88-1</td><td></td><td></td></x<20<>	16389-88-1		
Latex	Acrylic	15 <x<19< td=""><td>n.a.</td><td></td><td></td></x<19<>	n.a.		
Primary backing	Polyester (PET)	3 <x<4< td=""><td>n.a.</td><td></td><td></td></x<4<>	n.a.		
		Comment: 90% recycle	ed PET		
Secondary backing	Polyester (PET)	10 <x<12< td=""><td>n.a.</td><td></td><td></td></x<12<>	n.a.		
		Comment: 100% recyc	eled PET		

		Comment: 100% reger	nerated PA6 0		
Yarn	PA6.0	30 <x<32< th=""><th>n.a.</th><th></th><th></th></x<32<>	n.a.		
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Comment					
Component	Pile		Weight% of product		
Comment					
Component	Dyestuff		Weight% of product	<0.5	

4. RAW MATERIALS

Raw materials

Component	Material		Transport type
Filler	Aluminium hydroxide		Lorry
Country of raw material extraction		City of raw materi	al extraction
Germany		n.a.	
Country of manufacture/production		City of manufactu	re/production
Germany		Bergheim	
Comment			
Component	Material		Transport type
Filler	Dolomit		Lorry
Country of raw material extraction		City of raw materi	al extraction
Denmark		n.a.	
Country of manufacture/production		City of manufactu	re/production
Denmark		Store Heddinge	
Comment			

Component Material Transport type

Latex Acrylic Lorry

Country of raw material extraction

Netherlands

Country of manufacture/production

Netherlands

Comment

City of raw material extraction

n.a.

City of manufacture/production

Terneuzen

Component Material Transport type

Primary backing Polyester (PET) Lorry

Country of raw material extraction City of raw material extraction

Germany

Country of manufacture/production City of manufacture/production

Germany Kaiserslautern

Comment

Freudenberg 90% recycled.

Component Material Transport type

Secondary backing Polyester (PET) Lorry

Country of raw material extraction City of raw material extraction

Denmark n.a.

Country of manufacture/production City of manufacture/production

Denmark Ålborg

Comment

100% recycled.

Component Material Transport type

Yarn PA6.0 Lorry

Country of raw material extraction City of raw material extraction

Slovenia

Country of manufacture/production City of manufacture/production

Slovenia Ljubijana

Comment

Manufacture -Aquafil 100% Recycled

Total recycled material in the article

Is recycled material included in the article?		
Material Polyamide 6.0 Proportion after the consumer stage 15,6 Comment	Proportion before the consumer stag	Weight/percent by weight 31,2 %
Material Polyester (PET) Proportion after the consumer stage	Proportion before the consumer sta	Weight/percent by weight
13,3 Comment	1,8	15,1 %
Renewable material		
Enter proportion of renewable material in the article than 10 years):	Enter proportion of reneration 10 years):	wable material in the article (long cycle, more than
Included biobased raw material is tested according to the supporting documentation for the raw material is the supporting documentation for the raw material is tested according to the supporting documentation for the raw material is tested according to the supporting documentation for the raw material is tested according to the support of the suppor		rigin row material outraction manufacturing or
recycling processes or similar (for example BES 60		
Wood raw materials		
Wood raw materials are included	Included wood ra	w material is certified
How large a proportion is certified [%]?		
What certification system has been used (for exam	ple FSC, CSA, SFI with CoC, PEFC)?	
Reference number:		
Enter logging country for the wood raw material and	d that following criteria have been met. Country of l	ogging:
Does not contain type of wood or origin in C	ITES appendix of endangered species	

The timber has been logged legally and there is certification for this

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?		
These product-specific rules, known as PCR, have been applied:	Registration number / ID number for EPD:	
Floor coverings, 07.2014 / EN 15804	EPD-EGE-20190078-CCC1-EN	
Climate impact (GWP100) [kg CO2-eq]:	Ozone depletion (ODP) [kg CFC 11-eq]:	
6,54	2,09E-08	
Acidification (AP) [kg SO2-eq]:	Ground-level ozone (POCP) [kg ethene-eq]:	
0,0152	0,0013	
Eutrophication (EP) [kg (PO4)-3-eq]:	Renewable energy [MJ]:	
0,00332	62	
Non-renewable energy [MJ]:	If calculation has been made in Green Guide, enter which rating:	

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

Product stage A1-A3.

122

Used for environmental documentation and improvement of the environmental impact.

6. DISTRIBUTION

Distribution of finished article

Does the supplier use Retursystem Byggpall?

No

No

No

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

Is the supplier affiliated to a system for product responsibility for packaging?

No

No

Other information:

7. CONSTRUCTION PHASE

Construction phase

8.

Does the article make special requirements in storage?	
Yes	
Specify	
Keep dry.	
Does the article make special requirements for surrounding building products?	
Yes	
Specify	
Surfaces must be smooth and dry.	
Other information:	
See Installation Guide for the product at www.ege.dk.	
USE PHASE	
Use phase	
Does the article make requirements for input materials for operation and maintenance?	
No	
Specify:	
Does the article require supply of energy during operation?	
No	
Specify:	
Estimated technical service life for the article:	
25-30 years	
Comment:	
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?	If yes, enter labelling (G to A, A+, A++, A+++):
No	
Other information:	

9. DEMOLITION

Demolition

Yes Specify:		
Thermal Recycling		
	measures for protection of health and sembly?	
No		
Specify:		
Other information:		
Delivered article Is the supplied article covered by	y the Ordinance (2014:1075) on producer responsibility for	r electrical and electronic products when it becomes was
No	y are cramaned (2011) 1070, or produces responsibility is:	social and occurring products when it becomes made
	or parts of the article when it becomes waste?	
Yes	y parts of the attitude which it becomes waste:	
Specify: It is possible to reuse the tiles.		
Ege Carpets has a take back s		
	the whole or parts of the article when it becomes waste?	
Yes		
Specify:		
The material can be recovered	or new backing.	
	the whole or parts of the article when it becomes waste?	
Yes		
Specify:		
Thermal Recycling		
Does the supplier have restricti	ons and recommendation for re-use, material or energy rec	covery or landfilling?
Yes		
Specify:		
Ege Carpets recommend to che	eck if there is any disposal for national recycling. In many co ys can usually be found bydoing a quick search online.	ountries local recyclers can either reuse or recycle carpe

No					
Mounted article					
s the mounted article classified as hazardous waste?					
No					
Other information					
. INDOOR ENVIROR	NMENT				
Indoor environment					
The article is not intended for indoor u	se				
The article does not produce any emissions					
Emissions from the article not measur	Emissions from the article not measured				
Does the article have a critical moisture state	?? 				
Yes					
If yes, state what: Max. 75 % moisture content in indoor air and	I may 00 % in floor				
Noise	Electrical field	Magnetic fields			
Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?			
No	No	No			
Value:	Value:	Value:			
Unit:	Unit:	Unit:			
Managing	Magazina mathadi	Magazuring mathadu			
Measuring method:	weasuring method:	measuring method:			
Measuring method:	Measuring method:	Measuring method:			
Paints and varnishes					
railits aliu valliislies					
The article is resistant to fungi and alg	ae in use in wet areas				
Emissions					
Liliagiolia					
The article produces the following emissions	in intended use:				

When the supplied article becomes waste, is it classified as hazardous waste?

Type of emission:					
Formaldehyde					
	Measuring point 1:				
	Measuring method/standard:				
	Indoor Air Comfort Gold				
	Result:	Measuring interval:			
	<3 μg/m3	28 days			
	Measuring point 2:				
	Measuring method/standard:				
	Result:	Measuring interval:			
Type of emission:					
TVOC					
	Measuring point 1:				
	Measuring method/standard:				
	Indoor Air Comfort Gold				
	Result:	Measuring interval:			
	=6.4 µg/m3	28 days			
	Managed and a start O				
	Measuring point 2:				
	Measuring method/standard:				
	Result:	Measuring interval:			

Other information