

TEXTILNÍ ZKUŠEBNÍ ÚSTAV, s.p.
(TEXTILE TESTING INSTITUTE)

Notified body No. 1021

Cejl 480/12, Zábřovice, 602 00 Brno, Czech Republic

issues

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1021 - CPR – 006-2/16

In compliance with Regulation No. 305/2011 (EU) of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products (Construction Products Regulation – CPR), in valid wording, Annex V, art. 1.2 b)

Textile floor coverings: Product group 1C - PA-WT

Material:	100% polyamide
Primary backing:	polypropylene or polyester
Secondary backing:	woven secondary backing (polypropylene)
Technology:	tufted – cut pile/ tufted – loop pile/ woven – loop pile

Products placed on the market under the name or trade mark of:

Manufacturer: **Ege Carpets A/S**
Industrivej Nord 25, DK-7400 Herning, Denmark
ID: CVR 38454218

Manufacture location: 1) Ege Carpets A/S - Industrivej Nord 25, DK-7400 Herning, Denmark
2) Ege Carpets A/S - Industrivej 3, DK-6510 Gram, Denmark

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard:

EN 14041:2004/ AC:2006 Resilient, textile and laminate floor coverings – Essential characteristics

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.


Products fulfil the essential characteristic of reaction to fire: **Class C_n – s1**

The present certificate was issued on the basis of the protocol No. 1021/16/033 (22.02.2016), No. 1021/16/187 (15.08.2016), No. 1021/17/006 (11.01.2017), No. 1021/16/033/K1 (03.03.2017), No. 1021/17/267 (04.10.2017), No. 1021/18/071 (13.04.2018), No. 1021/18/183 (12.07.2018), No. 1021/20/115 (16.04.2020), No. 1021/20/330 (22.09.2020), No. 1021/22/336 (30.12.2022) and No. 1021/23/272 from 31.08.2023 issued by NB 1021 TZÚ Brno. Detailed description of product group is stated in Annex No. 1 of the certificate.

This certificate was first issued on February 22, 2016 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.



Brno, 01.09.2023



RNDr. Pavel Malčík
Managing Director

SCOPE:

Group 1C - PA-WT (100% Polyamide / Woven secondary backing)

Group 1.1 (PA-WT)		Tufted	Cut Pile
Class C_n - s1			
<i>Total weight</i>	2 150 – 3 550 g.m ⁻²	<i>Total thickness</i>	7 – 15,5 mm
<i>Pile weight</i>	750 – 2 000 g.m ⁻²	<i>Pile thickness</i>	5 – 13 mm
<i>Classification report</i>	VN710 174089.2 (27.02.2023)	<i>Classification</i>	EN 13501-1
<i>Products in group</i>	Epoca Texture WT Epoca Twist WT Epoca Texture 2000 WT	Epoca Moss WT Highline 910 WT Contract 2018 WT	Highline 1100 WT Epoca Silky WT

Group 1.2 (PA-WT)		Tufted	Loop Pile
Class C_n - s1			
<i>Total weight</i>	2 100 – 2 750 g.m ⁻²	<i>Total thickness</i>	5 – 8 mm
<i>Pile weight</i>	590 – 1 100 g.m ⁻²	<i>Pile thickness</i>	3 – 4 mm
<i>Classification report</i>	VN710 174089.2 (27.02.2023)	<i>Classification</i>	EN 13501-1 + A1
<i>Products in group</i>	Ege Tuft 950 WT Highline Loop e16 WT Epoca Frame WT	Epoca Classic WT Epoca Classic 1/10 WT Epoca Ribs WT	ReForm Calico WT Highline Loop WT Epoca Chess WT

Group 1.3 (PA-WT)		Woven	Loop Pile
Class C_n - s1			
<i>Total weight</i>	1 650 – 2 600 g.m ⁻²	<i>Total thickness</i>	3 – 4,5 mm
<i>Pile weight</i>	280 – 700 g.m ⁻²	<i>Pile thickness</i>	-
<i>Classification report</i>	VN710 174089.2 (27.02.2023)	<i>Classification</i>	EN 13501-1 + A1
<i>Samples in group</i>	Epoca Compact WT Epoca Globe WT Epoca Knit WT Una Micro WT Eco Compact WT Eco Structure WT	Epoca Plait WT Epoca Pro WT Epoca Profile WT Rawline WT Eco Knit WT	Epoca Rasp WT Epoca Structure WT Una Casa WT Una Brick WT Eco Pro WT

<i>Field of application</i>	Horizontal laid floor coverings in form of rolls. The carpet is to be mounted on a substrate of Euroclass A1 _n or A2 _n with a density of at least 1350 kg.m ⁻³ . It is declared for installation with a polyacrylat - copolymer dispersion adhesive (Ege 90RH/ UZIN UZ 57) or similar.
-----------------------------	---



TEST REPORTS and DOCUMENTATION:

<i>Product</i>	<i>Test report</i>	<i>Date</i>	<i>Accredited laboratory</i>	<i>Product documentation</i>
Epoca Texture WT	PF13282d	9.12.2010	DBI	3. – 4. 2.2016
Epoca Texture 2000 WT	VN710 126628.1	8.2.2017	OETI	
Epoca Twist WT				
Highline 1100 WT	PF12442d	12.10.2006	DBI	
Highline 910 WT				
Epoca Silky WT	PF12442hh	9/2006	DBI	3.10.2017
Contra 2018 WT	VN710140525.1	12.6.2018	OETI	12.07.2018
Epoca Moss WT	VN710140527.1	12.5.2018	OETI	
Ege Tuft 950 WT	PFA10683	9.2.2015	DBI	
Epoca Chess WT	PF12442w	9.11.2006	DBI	3. – 4. 2.2016
Epoca Classic WT	PF12442q	15.10.2006	DBI	
Epoca Classic 1/10 WT				
Epoca Ribs WT	PF12442r	8.11.2006	DBI	
Highline Loop WT				
ReForm Calico WT				
Highline Loop e16 WT				
Epoca Frame WT				
Epoca Compact WT	VNLF 082004.1	25.1.2016	OETI	3. – 4. 2.2016
Epoca Globe WT	PF12369		DBI	
Epoca Knit WT	PFA10642	11.11.2014	DBI	
Epoca Plait WT				
Epoca Pro WT				
Epoca Profile WT	PFA10468b	9.1.2014	DBI	
Epoca Rasp WT				
Epoca Structure WT	VNLF 082004.1	25.1.2016	OETI	
Una Casa WT	PFA10675		DBI	
Una Micro WT	PFA10625b	11.11.2014	DBI	
Rawline WT	VNLF 083456.2	24.6.2016	OETI	
Una Brick WT	VN710165498.1	16.3.2020	OETI	31.3.2020
Eco Compact WT				20.12.2022
Eco Knit WT				20.12.2022
Eco Pro WT				20.12.2022
Eco Structure WT				20.12.2022

